

Atlas of Food Microbiology LAB

Microorganisms including: Bacteria, Molds & Yeast

Describes in pictures the Microorganisms that can be isolated from food, giving brief characteristics of the isolated ones in our lab.

University of Baghdad – College of Science – Department of Biology

Forth Classes

2019/2020

6th. Electronic Edition – for Limited use only

Preface

"Science knows no country, because knowledge belongs to humanity, and is the torch which illuminates the world. Science is the highest personification of the nation because that nation will remain the first which carries the furthest the works of thought and intelligence".

Louis Pasteur

Science always unites students whatever their specialization was, or their age is... As I was a student once, I've been inspired by my Teachers who taught me much & till now, how to learn from the simple things in life, recording notes, keep on trying despite the difficulties, searching the new scientific trends, but the most important thing that I've learned is to document the results to put the knowledge in the hands of those who need, to continue the never ending trip of science....

To prevail the benefits, preparing this Atlas was an important thing to work on, that included some of Lab results obtained during the hard work with the undergraduate students, and some of the important results related to the Food Microbiology Lab, collected from scientific references, besides the help of the Web services, in hope that it would be useful to all who read it.

Since no work can ever be done alone....

I would like to Thank

The Former Head of Biology Department Professor Doctor **Sabah N. Alwachi** at the year of publishing for all the support to encourage such a scientific work that would help our students...

The Current Head of Biology Department Professor Doctor **Hula Younis** for all the support she showed in a remarkable time...

And my colleagues of Food Microbiology LAB in Biology Department...


Msc. Teacher Assistant Lina A. Omar-Zahid


Contents				
No.	Title	Page		
Bacteria				
1	Gram Positive Bacteria	5		
1.1	Staphylococcus	5		
1.2	Streptococcus	6		
1.3	Bacillus	7		
1.4	Lactobacillus	8		
1.5	Pediococcus	9		
1.6	Leuconostoc	10		
1.7	Clostridium	10		
Other Gram Positive Bacteria				
1	Actinomyces	11		
2	Micrococcus	12		
3	Bacillus anthracis	12		
4	Listeria monocytogenes	13		
Acid Fast Stain – Gram Positive Like Bacteria				
	Mycobacterium tuberculosis	13		
2	Gram Negative Bacteria	14		
2.1	Escherichia coli	14		
2.2	Pseudomonas	15		
2.3	Salmonella	16		
2.4	Shigella	17		
2.5	Serratia	18		
Other Gram Negative Bacteria				
1	Brucella melitensis	19		
2	Vibrio cholerae	19		
3	Achromobacter	19		
4	Flavobacterium	20		
5	Proteus	21		
6	Alcaligenes	21		

Contents				
No.	Title	Page		
Fungi				
1	Molds	22		
1.1	Penicillium	22		
1.2	Cladosporium	22		
1.3	Aspergillus niger	23		
1.4	Aspergillus flavus	23		
1.5	Mucor	24		
1.6	Rhizopus	24		
1.7	Alternaria	25		
1.8	Curvilaria	25		
1.9	Fusarium	26		
1.10	Geotrichum	26		
1.11	Botrytis	27		
1.12	Sporotrichum	27		
2	Yeast	29		
2.1	Saccharomyces	29		
2.2	Rhodotorula	29		
2.3	Endomyces	30		
2.4	Candida	30		
	References	31		



1.1 Staphylococcus







Microscopic Characteristics

G+ve, cocci, non-spore former, irregular clusters.

Macroscopic Characteristics				
S. aureus	Small colonies, smooth, cocci, golden color colony, appear as yellow			
	colonies on Mannitol Salt Agar.			
<i>S. epidermidis</i> Very small colonies, smooth, cocci, white color colony, appear				
	colonies on Mannitol Salt Agar.			

1.2 Streptococcus






Microscopic Characteristics


G+ve, cocci, non-spore former, appear in chains.

Macroscopic Characteristics

Small colonies, smooth, cocci, show hemolysis on Blood Agar.

1.3 Bacillus






Microscopic Characteristics

G+ve, bacilli, endospore former.

Macroscopic Characteristics

Rough, opaque, large, branched end, white colonies.

1.4 Lactobacillus




Microscopic Characteristics


G+ve, long bacilli, non-spore former.

Macroscopic Characteristics

Smooth, opaque, small, white colonies.

1.5 Pediococcus





D. Colonies of Pediococcus on Nutrient Agar.


Microscopic Characteristics

G+ve, coccbacilli, appear in pairs or tetrads.

Macroscopic Characteristics

Smooth, opaque, small, white colonies.

1.6 Leuconostoc




Microscopic Characteristics

G+ve, ovoid-cocci, appear in pairs.

Macroscopic Characteristics

Smooth, opaque, slime colonies.

1.7 Clostridium



A. Electron Microscope.

B. Light Microscope.

C. Pink Colonies on D.R.C.M.

Microscopic Characteristics


G+ve, rod-shaped, spore forming anaerobic bacteria, drum stick like cell.

Macroscopic Characteristics

Pink round colonies on D.R.C.M. media after adding NaOH for 20-30sec.

Other Gram Positive Bacteria

1.*Actinomycetes*



D. Different morphologies of *Actinomycetes*.

Microscopic Characteristics


G+ve, non-spore former, appear like branched network hyphae.

Macroscopic Characteristics


Colonies small, fragile, compressed, chalky, may be white, yellow or red.

Other Gram Positive Bacteria

2. Micrococcus




3.Bacillus anthracis



12

4. Listeria monocytogenes




- A. Electron Microscope.
- **B.** Light Microscope.


C. Colony on M.M.A. media.

Acid Fast Stain Gram Positive like Bacteria

Mycobacterium tuberculosis




2.1 Escherichia coli



A. Electron Microscope.

B. Light Microscope.

C. Light Microscope.




Microscopic Characteristics


G-ve, rod-shaped, non- spore former.

Macroscopic Characteristics

Lactose fermenter, Pink colonies on Endo Agar & MaCconkey Agar, Green metallic sheen on EMB Agar.

2.2 Pseudomonas






Microscopic Characteristics


G-ve, short bacilli, non- spore former.

Macroscopic Characteristics

Lactose non fermenter, Pale colonies on MaCconkey Agar, mucoid colonies, secrete Pyocyanin pigment on Nutrient Agar & Milk Agar, Protease producer cause clear zones on Milk Agar, Lipase producer cause clear zones on Olive Oil media Agar.

2.3 Salmonella






Microscopic Characteristics


G-ve, short bacilli, non- spore former.

Macroscopic Characteristics

Lactose non fermenter, Pale colonies on MaCconkey Agar, H₂S producer, appear as Black colonies on S-S Agar while appear red colonies with black center on XLD medium.

2.4 Shigella






Microscopic Characteristics


G-ve, short bacilli, non- spore former.

Macroscopic Characteristics

Lactose non fermenter, Pale colonies on MaCconkey Agar, do not produce H₂S, appear as colorless colonies on S-S Agar while appear Transparent colonies on XLD medium.

2.5 Serratia





Microscopic Characteristics


G-ve, rods, non- spore former.

Macroscopic Characteristics


Small, smooth red colonies, Lactose non fermenter, Pale colonies on MaCconkey Agar, produce red pigments.

Other Gram Negative Bacteria


1.Brucella melitensis



2.Vibrio Cholerae




3.Achromobacter




Other Gram Negative Bacteria


4.Flavobacterium



5.Proteus




6.*Alcaligenes*






1. Molds

1.1 Penicillium



1.2 Cladosporium



A. Electron Microscope.B. Light Microscope.Microscopic Characteristics


C. Colony on Agar media.

Conidiophores are more or less distinct from the vegetative hyphae, are erect, straight or flexuous, unbranched or branched only in the apical region, with geniculate sympodial elongation in some species.


Macroscopic Characteristics

Colonies are rather slow growing, mostly olivaceous-brown to blackish brown but also sometimes grey, buff or brown, suede-like to floccose, often becoming powdery due to the production of abundant conidia.

1.3 Asperigillus niger



1.4 Asperigillus flavus



Non-Branched conidiophore with bulb end carries conidia.


Macroscopic Characteristics

Pin like green growth.


1.5 Mucor

	P				
A. Electron Microscope.	B. Light Microscope.	C. Colony on Agar media.			
Microscopic Characteristics					
Sporangia contain spores, do not have rhizoids.					
Macroscopic Characteristics					
Cotton like white growth spotted with black color.					

1.6 Rhizopus



1.7 Alternaria




Pineapple like conidia multi-cellular, spetated horizontally & vertically, arrange in chains.

Macroscopic Characteristics


Dark green deeply grown colonies, oil-drop like colony when seen upside down the Petridish.

1.8 Curvularia



A. Electron Microscope.B. Light Microscope.C. Colony on Agar media.Microscopic CharacteristicsSwollen conidia, spetated horizontally only, arrange in triple or pentagonal arrangements.Macroscopic CharacteristicsGreen or black deeply grown colonies.

1.9 Fusarium




Spindle-like conidia, multi-cellular.

Macroscopic Characteristics

Colonies appear brown or pink in center & with white edges.

1.10Geotrichum




Microscopic Characteristics

Chains of hyaline, smooth, one-celled, subglobose to cylindrical, slimy arthroconidia (ameroconidia) by the holoarthric fragmentation of undifferentiated hyphae.


Macroscopic Characteristics


Colonies are fast growing, flat, white to cream, dry and finely suede-like with no reverse pigment.

1.11 Botrytis



1.12 Sporotrichum







B. Light Microscope.

C. Colony on Agar media.

Microscopic Characteristics

Septate hyphae, conidiophores, aleuriconidia, arthroconidia, and chlamydospores are observed. Hyphae contain clamp connections (bridges) at the septa. Conidiophores may be short or long, simple or branched.


Macroscopic Characteristics

The texture is velvety to powdery. From the front, the color is initially white and then becomes rosy beige, pinkish, yellow or orange. From the reverse, it is tannish.




2. Yeast

2.1 Saccharomyces




2.2 Rhodotorula



Colony color can vary from being cream colored to orange/red/pink or yellow.

Yeast

2.3 Endomyces



E. Light Microscope.

F. Colony on Agar media.


Microscopic Characteristics

A species of yeast-like fungus that is the perfect state of Geotrichum, it forms a real mycelium, cocci or ovoid ascospore, the mycelium divided into cylindrical arthrospores with round edges.

Macroscopic Characteristics

Large white colonies.

2.4 Candida



References

- Dennis Kunkel Microscopy, Inc. Science Stock Photography cited by <u>http://www.denniskunkel.com/index.php.</u>
- Free Encyclopedia online cited by <u>http://en.wikipedia.org/wiki/Main_Page.</u>
- Mycology online reference cited by <u>http://www.doctorfungus.org/.</u>
- The University of Adelaide, Australia, Mycology online cited by <u>http://www.mycology.adelaide.edu.au/gallery/.</u>
- Tony Hart, Paul Shears (2004).Color Atlas of Medical Microbiology: Elsevier's Health Sciences Department.
- US National library of Medicine cited by http://www.ncbi.nlm.nih.gov/pubmed.